


**TOPOLED T BEDIENUNGSANLEITUNG****Sicherheitshinweise, Schutzklassen und Instruktionen**

⚠ Siehe Beiblatt M 1227

**Bedienungsanleitung**

- Ⓐ Schalter / Dimmer im Sockel integriert
  - kurzer Druck: Ein- oder Ausschalten
  - langer Druck: Dimmen
  
- Ⓑ Leuchtenkopf eloxiert, 70° Ausstrahlungswinkel  
Leuchtmittel COB-LED, 2700K  
Der Leuchtenkopf dient als Kühlkörper und kann sich erwärmen!




**TOPOLED T** MODE D'EMPLOI**Consignes de sécurité, classe de protection et instructions:**

⚠ Voir supplément M 1227

**Mode d'emploi**

- Ⓐ Interrupteur / variateur dans le socle
  - pression courte: on / off
  - pression longue: variation
- Ⓑ Tête de la lampe anodisée, un angle de diffusion de 70°  
Source lumineuse COB-LED, 2700K  
Tête de la lampe sert comme dissipateur thermique et peut chauffer!



**TOPOLED T OPERATING INSTRUCTIONS****Safety information, protection class and instructions**

⚠ See supplementary sheet M 1227

**Operating instructions**

- Ⓐ Switcher / dimmer on base
  - short pressure: on / off
  - long pressure: dim
  
- Ⓑ Anodized luminaire head, beam angle of 70°  
Light source COB-LED, 2700K  
The luminaire head serves as cooling element and may get warmer!

